


# WORTH TOWNSHIP

## HIGH RISK EROSION AREAS

SANILAC COUNTY



### HIGH RISK EROSION AREAS

THE NUMBER REPRESENTS, IN FEET, THE 30 YEAR PROJECTED RECESSION DISTANCE.  
60' THE NUMBER REPRESENTS, IN FEET, THE 60 YEAR PROJECTED RECESSION DISTANCE.



HIGH RISK EROSION AREA (shading alongshore)

THESE AREAS ARE LEGALLY DEFINED BY PART 323, OF THE NATURAL RESOURCES AND ENVIRONMENTAL PROTECTION ACT OF 1994, P.A. 451 AS AMENDED, AS BEING GREAT LAKES SHORELAND AREAS DOCUMENTED TO RECEDE AN AVERAGE OF ONE FOOT OR MORE A YEAR.


### SOURCE

STATE OF MICHIGAN PART 323 OF ACT 451 RATE MAPS

REVISED 1/8/99



MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY  
LAND AND WATER MANAGEMENT DIVISION  
P.O. BOX 30458  
LANSING, MI 48909-7958  
(517) 373-1950



# Parcels in High Risk Erosion Areas of Worth Township, Sanilac County

HREAs identified North to South      Date of Designation: July 10, 1998

HREA*	Sequence No.	Parcel Identification Number	Rate (feet/year)	30 yr PRD*	60 yr PRD*
A1	205.3	76-261-006-200-030-00	1.5	60	105
A1	205.2	76-261-006-200-040-00	1.5	60	105
A1	205.1	76-261-006-200-050-00	1.5	60	105
A1	205	76-261-006-200-060-00	1.5	60	105
A1	205.4	76-261-006-200-070-00	1.5	60	105
B1	155.1	76-261-007-300-030-00	1.4	55	100
B1	155	76-261-007-300-040-00	1.4	55	100
B1	154.2	76-261-007-300-050-00	1.4	55	100
B1	154.1	76-261-007-300-060-00	1.4	55	100
B1	154	76-261-007-300-070-00	1.4	55	100
B1	153	76-261-007-300-080-00	1.4	55	100
B1	152.1	76-261-007-300-090-00	1.4	55	100
C1	149	76-261-007-200-320-00	1.6	65	110
C1	149.1	76-261-007-200-330-00	1.6	65	110
C1	148	76-261-303-005-003-00	1.6	65	110
C1	146	76-261-303-005-006-00	1.6	65	110
C1	148.1	76-261-303-005-073-00	1.6	65	110
D1	123	76-261-300-002-137-00	1.3	55	95
D1	126	76-261-300-002-379-00	1.3	55	95

HREA\* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

**Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.**

# Parcels in High Risk Erosion Areas of Worth Township, Sanilac County

HREAs identified North to South      Date of Designation: July 10, 1998

HREA*	Sequence No.	Parcel Identification Number	Rate (feet/year)	30 yr PRD*	60 yr PRD*
E1	113.1	76-261-310-000-001-00	1.3	55	95
E1	113	76-261-310-000-002-00	1.3	55	95
E1	112.1	76-261-310-000-004-00	1.3	55	95
E1	112	76-261-310-000-005-00	1.3	55	95
E1	111	76-261-310-000-007-00	1.3	55	95
E1	110	76-261-310-000-010-00	1.3	55	95
E1	109.1	76-261-310-000-011-00	1.3	55	95
E1	109	76-261-310-000-013-00	1.3	55	95
E1	108.1	76-261-310-000-015-00	1.3	55	95
E1	107.1	76-261-310-000-229-10	1.3	55	95
E1	107	76-261-310-000-234-00	1.3	55	95
E1	106	76-261-310-000-306-00	1.3	55	95
E1	105.1	76-261-310-000-308-00	1.3	55	95
E1	105	76-261-310-000-309-00	1.3	55	95
E1	104	76-261-310-000-385-00	1.3	55	95
E1	103.3	76-261-310-000-386-00	1.3	55	95
E1	10.23	76-261-310-000-387-00	1.3	55	95
E1	103.1	76-261-310-000-388-00	1.3	55	95
E2	96.1	76-261-070-000-117-00	2.3	85	155

HREA\* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

**Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.**

# Parcels in High Risk Erosion Areas of Worth Township, Sanilac County

HREAs identified North to South      Date of Designation: July 10, 1998

HREA*	Sequence No.	Parcel Identification Number	Rate (feet/year)	30 yr PRD*	60 yr PRD*
E2	97	76-261-070-000-118-00	2.3	85	155
E2	97.1	76-261-070-000-120-00	2.3	85	155
E2	98	76-261-070-000-121-00	2.3	85	155
E2	98.1	76-261-070-000-122-00	2.3	85	155
E2	102	76-261-310-000-464-00	2.3	85	155
E2	101	76-261-310-000-467-10	2.3	85	155
E2	100.1	76-261-310-000-546-10	2.3	85	155
E2	100	76-261-310-000-547-00	2.3	85	155
E2	99	76-261-310-000-548-00	2.3	85	155
F1	74.1	76-261-140-000-001-00	1.3	55	95
F1	75	76-261-140-000-002-00	1.3	55	95
F1	75.1	76-261-140-000-003-00	1.3	55	95
F1	76	76-261-140-000-004-00	1.3	55	95
F1	76.1	76-261-140-000-005-00	1.3	55	95
F1	76.2	76-261-140-000-006-00	1.3	55	95
F1	76.3	76-261-140-000-007-00	1.3	55	95
F1	78	76-261-140-000-009-00	1.3	55	95
F1	78.1	76-261-140-000-010-00	1.3	55	95
F1	78.2	76-261-140-000-011-00	1.3	55	95

HREA\* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

**Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.**

# Parcels in High Risk Erosion Areas of Worth Township, Sanilac County

HREAs identified North to South      Date of Designation: July 10, 1998

HREA*	Sequence No.	Parcel Identification Number	Rate (feet/year)	30 yr PRD*	60 yr PRD*
F1	79	76-261-140-000-013-00	1.3	55	95
F1	79.3	76-261-140-000-014-00	1.3	55	95
F1	79.2	76-261-140-000-015-00	1.3	55	95
F1	80	76-261-140-000-016-00	1.3	55	95
F1	80.1	76-261-140-000-017-00	1.3	55	95
F1	81	76-261-140-000-019-00 public lake access, end of Schroeder Road	1.3	55	95
F1	74	76-261-150-000-001-00	1.3	55	95
F2	72.1	76-261-019-400-030-00	2.3	85	155
F2	72	76-261-019-400-040-00	2.3	85	155
F2	71.2	76-261-019-400-050-00	2.3	85	155
F2	71	76-261-019-400-060-00	2.3	85	155
F2	71.1	76-261-019-400-070-00	2.3	85	155
F2	73.2	76-261-150-000-002-00	2.3	85	155
F2	73.1	76-261-150-000-003-00	2.3	85	155
F2	73	76-261-150-000-004-00	2.3	85	155
F2	70.1	76-261-270-000-001-00	2.3	85	155
G1	68	76-261-270-000-008-00	1.5	60	105
G1	67.2	76-261-270-000-009-00	1.5	60	105

HREA\* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

**Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.**

# Parcels in High Risk Erosion Areas of Worth Township, Sanilac County

HREAs identified North to South      Date of Designation: July 10, 1998

HREA*	Sequence No.	Parcel Identification Number	Rate (feet/year)	30 yr PRD*	60 yr PRD*
G1	67.1	76-261-270-000-010-00	1.5	60	105
G1	66.1	76-261-270-000-012-00	1.5	60	105
G1	66	76-261-270-000-013-00	1.5	60	105
G1	65.2	76-261-270-000-015-00	1.5	60	105
G1	65.1	76-261-270-000-016-00	1.5	60	105
G1	65	76-261-270-000-017-00	1.5	60	105
G1	64.2	76-261-270-000-018-00	1.5	60	105
G2	59.2	76-261-220-000-001-00	2.6	95	170
G2	59.1	76-261-220-000-002-00	2.6	95	170
G2	59	76-261-220-000-003-00	2.6	95	170
G2	58.2	76-261-220-000-004-00	2.6	95	170
G2	64.1	76-261-270-000-019-00	2.6	95	170
G2	64.01	76-261-270-000-020-00	2.6	95	170
G2	64	76-261-270-000-020-01	2.6	95	170
G2	63.2	76-261-270-000-021-00	2.6	95	170
G2	63.1	76-261-270-000-022-00	2.6	95	170
G2	63	76-261-270-000-023-00	2.6	95	170
G2	62.2	76-261-270-000-024-00	2.6	95	170
G2	62.1	76-261-270-000-025-00	2.6	95	170

HREA\* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

**Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.**

# Parcels in High Risk Erosion Areas of Worth Township, Sanilac County

HREAs identified North to South      Date of Designation: July 10, 1998

HREA*	Sequence No.	Parcel Identification Number	Rate (feet/year)	30 yr PRD*	60 yr PRD*
G2	62.01	76-261-270-000-026-00	2.6	95	170
G2	62	76-261-270-000-026-01	2.6	95	170
G2	61.1	76-261-270-000-027-00	2.6	95	170
G2	61	76-261-270-000-028-00	2.6	95	170
G2	60.1	76-261-270-000-029-00	2.6	95	170
G2	60	76-261-270-000-030-00	2.6	95	170
H1	42.3	76-261-030-100-350-00	1.2	50	85
H1	42.2	76-261-030-100-370-00	1.2	50	85
H1	42.1	76-261-030-100-380-00	1.2	50	85
H1	41.2	76-261-030-100-390-00	1.2	50	85
H1	42	76-261-030-100-400-00	1.2	50	85
H1	41.1	76-261-030-100-410-00	1.2	50	85
H1	41	76-261-030-100-420-00	1.2	50	85
I1	28	76-261-090-001-004-00	1.1	50	80
I1	28.1	76-261-090-001-005-00	1.1	50	80
I1	28.2	76-261-090-001-008-00	1.1	50	80
I1	30	76-261-090-001-010-00	1.1	50	80
I1	30.1	76-261-090-001-011-00	1.1	50	80
I1	31	76-261-090-001-012-00	1.1	50	80

HREA\* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

**Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.**

# Parcels in High Risk Erosion Areas of Worth Township, Sanilac County

HREAs identified North to South      Date of Designation: July 10, 1998

HREA*	Sequence No.	Parcel Identification Number	Rate (feet/year)	30 yr PRD*	60 yr PRD*
I1	31.2	76-261-090-001-015-00	1.1	50	80
I1	32	76-261-090-001-017-00	1.1	50	80
I1	33.1	76-261-090-002-007-00	1.1	50	80
I2	7	76-261-031-100-040-00	2.9	100	190
I2	14	76-261-031-100-060-01	2.9	100	190
I2	13.9	76-261-031-100-060-02	2.9	100	190
I2	13.7	76-261-031-100-060-02	2.9	100	190
I2	13.8	76-261-031-100-060-03	2.9	100	190
I2	13.3	76-261-031-100-070-00	2.9	100	190
I2	6	76-261-031-100-080-00	2.9	100	190
I2	13.1	76-261-031-400-050-00	2.9	100	190
I2	13.2	76-261-031-400-050-01	2.9	100	190
I2	13	76-261-031-400-060-00	2.9	100	190
I2	12	76-261-031-400-070-00	2.9	100	190
I2	11	76-261-031-400-080-01	2.9	100	190
I2	10.9	76-261-031-400-080-03	2.9	100	190
I2	10.8	76-261-031-400-080-04	2.9	100	190
I2	8	76-261-031-400-100-02	2.9	100	190
I2	7.9	76-261-031-400-100-03	2.9	100	190

HREA\* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

**Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.**



# Parcels in High Risk Erosion Areas of Worth Township, Sanilac County

HREAs identified North to South      Date of Designation: July 10, 1998

HREA*	Sequence No.	Parcel Identification Number	Rate (feet/year)	30 yr PRD*	60 yr PRD*
I2	7.8	76-261-031-400-100-04	2.9	100	190
I2	7.1	76-261-031-400-110-00	2.9	100	190
I2	27	76-261-090-001-001-00	2.9	100	190
I2	27.1	76-261-090-001-002-00	2.9	100	190
I2	26.1	76-261-130-000-001-00	2.9	100	190
I2	25.2	76-261-130-000-004-00	2.9	100	190
I2	25.1	76-261-130-000-005-00	2.9	100	190
I2	25	76-261-130-000-006-00	2.9	100	190
I2	24.2	76-261-130-000-007-00	2.9	100	190
I2	24.1	76-261-130-000-008-00	2.9	100	190
I2	24	76-261-130-000-009-00	2.9	100	190
I2	23	76-261-130-000-011-00	2.9	100	190
I2	22.1	76-261-130-000-014-00	2.9	100	190
I2	22	76-261-130-000-015-00	2.9	100	190
I2	21.2	76-261-130-000-016-00	2.9	100	190
I2	21.1	76-261-130-000-017-00	2.9	100	190
I2	21	76-261-130-000-018-00	2.9	100	190
I2	20.3	76-261-130-000-019-00	2.9	100	190
I2	20.2	76-261-130-000-020-00	2.9	100	190

HREA\* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

**Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.**

# Parcels in High Risk Erosion Areas of Worth Township, Sanilac County

HREAs identified North to South      Date of Designation: July 10, 1998

HREA*	Sequence No.	Parcel Identification Number	Rate (feet/year)	30 yr PRD*	60 yr PRD*
I2	20.1	76-261-130-000-021-00	2.9	100	190
I2	20	76-261-130-000-022-00	2.9	100	190
I2	19.1	76-261-130-000-023-00	2.9	100	190
I2	19	76-261-130-000-025-00	2.9	100	190
I2	18.3	76-261-130-000-026-00	2.9	100	190
I2	18.2	76-261-130-000-027-00	2.9	100	190
I2	18.1	76-261-130-000-028-01	2.9	100	190
I2	17.21	76-261-130-000-029-00	2.9	100	190
I2	17.2	76-261-130-000-029-04	2.9	100	190
I2	17.1	76-261-130-000-030-00	2.9	100	190
I2	17	76-261-130-000-031-00	2.9	100	190
I2	16.2	76-261-130-000-032-00	2.9	100	190
I2	16.1	76-261-130-000-033-00	2.9	100	190
I2	16	76-261-130-000-034-00	2.9	100	190
I2	15.2	76-261-130-000-035-00	2.9	100	190
I2	15.1	76-261-130-000-036-00	2.9	100	190
I2	15	76-261-130-000-037-00	2.9	100	190
I2	14.1	76-261-130-000-038-10	2.9	100	190

HREA\* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

**Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.**