


# PARK TOWNSHIP

## HIGH RISK EROSION AREAS & CRITICAL DUNE AREAS

OTTAWA COUNTY

T05N,R16W



### HIGH RISK EROSION AREAS

THE NUMBER REPRESENTS, IN FEET, THE 30 YEAR PROJECTED RECESSION DISTANCE.  
 60' THE NUMBER REPRESENTS, IN FEET, THE 60 YEAR PROJECTED RECESSION DISTANCE.

HIGH RISK EROSION AREA (shading alongshore)

THESE AREAS ARE LEGALLY DEFINED BY PART 323, SHORELANDS PROTECTION AND MANAGEMENT, OF THE NATURAL RESOURCE & ENVIRONMENTAL PROTECTION ACT 1994 PA 451 BEING GREAT LAKES SHORELAND AREAS DOCUMENTED TO REcede AN AVERAGE OF ONE FOOT OR MORE PER YEAR.

### CRITICAL DUNE AREAS

- BARRIER DUNES  
BARRIER DUNE FORMATIONS DESIGNATED PURSUANT TO PART 353, SAND DUNE PROTECTION & MANAGEMENT, OF THE NATURAL RESOURCE & ENVIRONMENTAL PROTECTION ACT 1994 PA 451.
- AREAS NOT INCLUDED IN DESIGNATED BARRIER DUNE FORMATIONS THAT ARE COMPOSED PRIMARILY OF DUNE SAND AND EXHIBIT SEVERAL DUNE-LIKE CHARACTERISTICS.
- EXEMPLARY DUNE ASSOCIATED PLANT COMMUNITIES OUTSIDE DESIGNATED DUNE FORMATIONS. MICHIGAN NATURAL FEATURES INVENTORY REFERENCE CODE INDICATED.

### SOURCE

STATE OF MICHIGAN RECESSION RATE MAPS & ATLAS OF CRITICAL DUNE AREAS



### INFORMATION

MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY  
 LAND AND WATER MANAGEMENT DIVISION  
 P.O. BOX 30458  
 LANSING, MI 48209-7958  
 (517) 373-1950

**Gis**

GREAT LAKES INFORMATION SYSTEM  
 MICHIGAN DEPARTMENT OF NATURAL RESOURCES  
 LAND AND WATER MANAGEMENT DIVISION

11-15-94  
 Amended 08-16-96





# Parcels in High Risk Erosion Areas of Park Township, Ottawa County

Date of Designation: November 23,1994

Parcel Identification No.	Address	HREA*	Rate (feet/year)	30 yr PRD*	60 yr PRD*
70-15-04-100-001	4789 N Lakeshore Dr	A1	2.5	90	165
70-15-04-100-002	4775 N Lakeshore Dr	A1	2.5	90	165
70-15-04-100-003	4759 N Lakeshore Dr	A1	2.5	90	165
70-15-04-100-004	4733 N Lakeshore Dr	A1	2.5	90	165
70-15-04-100-005	4711 N Lakeshore Dr	A1	2.5	90	165
70-15-04-100-032	4707 N Lakeshore Dr	A1	2.5	90	165
70-15-04-100-008	4673 N Lakeshore Dr	A1	2.5	90	165
70-15-04-100-019		A1	2.5	90	165
70-15-04-100-020		A1	2.5	90	165
70-15-04-100-025	4627 N Lakeshore Dr	A1	2.5	90	165
70-15-04-100-026	4623 N Lakeshore Dr	A1	2.5	90	165
70-15-04-100-011	4597 N Lakeshore Dr	A1	2.5	90	165
70-15-04-100-012	4585 N Lakeshore Dr	A1	2.5	90	165
70-15-04-100-013	4541 N Lakeshore Dr	A1	2.5	90	165
70-15-04-100-014	4511 N Lakeshore Dr	A1	2.5	90	165
70-15-04-100-015	4489 N Lakeshore Dr	A1	2.5	90	165
70-15-04-100-023	4461 N Lakeshore Dr	A1	2.5	90	165
70-15-04-100-031	4455 N Lakeshore Dr	A1	2.5	90	165
70-15-04-100-017	4433 N Lakeshore Dr	A1	2.5	90	165
70-15-04-100-029	4413 N Lakeshore Dr	A1	2.5	90	165

HREA\* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

**Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact Great Lakes Shorelands staff, Water Resources Division, EGLE in Lansing or the local EGLE field office for assistance.**



# Parcels in High Risk Erosion Areas of Park Township, Ottawa County

Date of Designation: November 23,1994

Parcel Identification No.	Address	HREA*	Rate (feet/year)	30 yr PRD*	60 yr PRD*
70-15-04-100-030	4411 N Lakeshore Dr	A1	2.5	90	165
70-15-04-348-026	4386 Lakes Edge Dr	A1	2.5	90	165
70-15-04-347-032	4385 Lakes Edge Dr	A1	2.5	90	165
70-15-04-347-002	4373 Lakes Edge Dr	A1	2.5	90	165
70-15-04-347-003	4363 Lakes Edge Dr	A1	2.5	90	165
70-15-04-347-004	4347 Lakes Edge Dr	A1	2.5	90	165
70-15-04-347-005	4335 Lakes Edge Dr	A1	2.5	90	165
70-15-04-347-006	4329 Lakes Edge Dr	A1	2.5	90	165
70-15-04-347-007	4311 Lakes Edge Dr	A1	2.5	90	165
70-15-04-347-024	4293 N Lakeshore Dr	A1	2.5	90	165
70-15-04-347-035	4277 N Lakeshore Dr	A1	2.5	90	165
70-15-04-347-036	4263 N Lakeshore Dr	A1	2.5	90	165
70-15-04-347-027	4235 N Lakeshore Dr	A1	2.5	90	165
70-15-04-347-015	4223 N Lakeshore Dr	A1	2.5	90	165
70-15-04-347-018	4217 N Lakeshore Dr	A1	2.5	90	165
70-15-04-399-001	4199 N Lakeshore Dr	A1	2.5	90	165
70-15-04-399-002	4191 N Lakeshore Dr	A1	2.5	90	165
70-15-04-399-017	4187 N Lakeshore Dr	A1	2.5	90	165
70-15-04-399-005	4181 N Lakeshore Dr	A1	2.5	90	165
70-15-04-399-006	4171 N Lakeshore Dr	A1	2.5	90	165

HREA\* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

**Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact Great Lakes Shorelands staff, Water Resources Division, EGLE in Lansing or the local EGLE field office for assistance.**



# Parcels in High Risk Erosion Areas of Park Township, Ottawa County

Date of Designation: November 23,1994

Parcel Identification No.	Address	HREA*	Rate (feet/year)	30 yr PRD*	60 yr PRD*
70-15-04-399-007	4153 N Lakeshore Dr	A1	2.5	90	165
70-15-04-399-019	4133 N Lakeshore Dr	A1	2.5	90	165
70-15-04-399-020		A1	2.5	90	165
70-15-04-399-009	4117 N Lakeshore Dr	A1	2.5	90	165
70-15-04-399-010	4101 N Lakeshore Dr	A1	2.5	90	165
70-15-04-399-011	4093 N Lakeshore Dr	A1	2.5	90	165
70-15-04-399-012	4081 N Lakeshore Dr	A1	2.5	90	165
70-15-04-399-013	4073 N Lakeshore Dr	A1	2.5	90	165
70-15-04-399-014	4061 N Lakeshore Dr	A1	2.5	90	165
70-15-04-399-015		A1	2.5	90	165
70-15-04-148-028 Camp Geneva	3995 N Lakeshore Dr	A1	2.5	90	165
70-15-09-148-033	3861 N Lakeshore Dr	A1	2.5	90	165
70-15-09-148-034	3847 N Lakeshore Dr	A1	2.5	90	165
70-15-09-148-024	3839 N Lakeshore Dr	A1	2.5	90	165
70-15-09-148-007	3821 N Lakeshore Dr	A1	2.5	90	165
70-15-09-148-030	3801 Lake Court	A1	2.5	90	165
70-15-09-148-031	3793 Lake Court	A1	2.5	90	165
70-15-09-148-032		A1	2.5	90	165
70-15-09-148-010	3787 Lake Court	A1	2.5	90	165

HREA\* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

**Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact Great Lakes Shorelands staff, Water Resources Division, EGLE in Lansing or the local EGLE field office for assistance.**



# Parcels in High Risk Erosion Areas of Park Township, Ottawa County

Date of Designation: November 23,1994

Parcel Identification No.	Address	HREA*	Rate (feet/year)	30 yr PRD*	60 yr PRD*
70-15-09-184-001	3769 Lake Court	A1	2.5	90	165
70-15-09-184-002	3767 Lake Court	A1	2.5	90	165
70-15-09-184-003	3755 Lake Court	A1	2.5	90	165
70-15-09-184-013	3745 N Lakeshore Dr	A1	2.5	90	165
70-15-09-184-014	3735 N Lakeshore Dr	A1	2.5	90	165
70-15-09-184-015	3721 N Lakeshore Dr	A1	2.5	90	165
70-15-09-184-016	3699 N Lakeshore Dr	A1	2.5	90	165
70-15-09-184-017	3689 N Lakeshore Dr	A1	2.5	90	165
70-15-09-184-018	3677 N Lakeshore Dr	A1	2.5	90	165
70-15-09-184-019	3667 N Lakeshore Dr	A1	2.5	90	165
70-15-09-184-028	3659 N Lakeshore Dr	A1	2.5	90	165
70-15-09-184-030	3651 N Lakeshore Dr	A1	2.5	90	165
70-15-09-184-021	3645 N Lakeshore Dr	A1	2.5	90	165
70-15-09-184-022	3639 N Lakeshore Dr	A1	2.5	90	165
70-15-09-184-023	3635 N Lakeshore Dr	A1	2.5	90	165
70-15-09-184-024	3617 N Lakeshore Dr	A1	2.5	90	165
70-15-09-184-025	3603 N Lakeshore Dr	A1	2.5	90	165
70-15-09-184-026	3599 N Lakeshore Dr	A1	2.5	90	165
70-15-09-184-027	3593 N Lakeshore Dr	A1	2.5	90	165
70-15-09-348-001	3591 N Lakeshore Dr	A1	2.5	90	165

HREA\* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

**Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact Great Lakes Shorelands staff, Water Resources Division, EGLE in Lansing or the local EGLE field office for assistance.**



# Parcels in High Risk Erosion Areas of Park Township, Ottawa County

Date of Designation: November 23,1994

Parcel Identification No.	Address	HREA*	Rate (feet/year)	30 yr PRD*	60 yr PRD*
70-15-09-348-038	3569 N Lakeshore Dr	A2	1.5	60	105
70-15-09-348-039	3567 N Lakeshore Dr	A2	1.5	60	105
70-15-09-348-004	3559 N Lakeshore Dr	A2	1.5	60	105
70-15-09-348-005	3545 N Lakeshore Dr	A2	1.5	60	105
70-15-09-348-044		A2	1.5	60	105
70-15-09-348-045	3535 N Lakeshore Dr	A2	1.5	60	105
70-15-09-348-007	3529 N Lakeshore Dr	A2	1.5	60	105
70-15-09-348-034	3521 N Lakeshore Dr	A2	1.5	60	105
70-15-09-348-035	3529 N Lakeshore Dr	A2	1.5	60	105
70-15-09-348-009	3515 N Lakeshore Dr	A2	1.5	60	105
70-15-09-348-010	3501 N Lakeshore Dr	A2	1.5	60	105
70-15-09-348-011	3485 N Lakeshore Dr	A2	1.5	60	105
70-15-09-348-041	3469 N Lakeshore Dr	A2	1.5	60	105
70-15-09-348-042	3461 N Lakeshore Dr	A2	1.5	60	105
70-15-09-348-014	3451 N Lakeshore Dr	A2	1.5	60	105
70-15-09-348-015	3443 N Lakeshore Dr	A2	1.5	60	105
70-15-09-348-016	3433 N Lakeshore Dr	A2	1.5	60	105
70-15-09-348-017	3421 N Lakeshore Dr	A2	1.5	60	105
70-15-09-348-018	3411 Maple Ave	A2	1.5	60	105
70-15-09-348-031	3399 Maple Ave	A2	1.5	60	105

HREA\* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

**Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact Great Lakes Shorelands staff, Water Resources Division, EGLE in Lansing or the local EGLE field office for assistance.**



# Parcels in High Risk Erosion Areas of Park Township, Ottawa County

Date of Designation: November 23,1994

Parcel Identification No.	Address	HREA*	Rate (feet/year)	30 yr PRD*	60 yr PRD*
70-15-09-348-032	3391 Maple Ave	A2	1.5	60	105
70-15-09-348-033	3381 Maple Ave	A2	1.5	60	105
70-15-09-385-033	3375 Maple Ave	A2	1.5	60	105
70-15-09-385-034	3371 Maple Ave	A2	1.5	60	105
70-15-09-385-002	3353 Maple Ave	A2	1.5	60	105
70-15-09-385-003		A2	1.5	60	105
70-15-09-385-014	3335 N Lakeshore Dr	A2	1.5	60	105
70-15-09-385-015	3327 N Lakeshore Dr	A2	1.5	60	105
70-15-09-385-016	3317 N Lakeshore Dr	A2	1.5	60	105
70-15-09-385-017	3309 N Lakeshore Dr	A2	1.5	60	105
70-15-09-385-018	3303 N Lakeshore Dr	A2	1.5	60	105
70-15-09-385-019	3293 N Lakeshore Dr	A2	1.5	60	105
70-15-09-385-020	3283 N Lakeshore Dr	A2	1.5	60	105
70-15-09-385-021	3273 N Lakeshore Dr	A2	1.5	60	105
70-15-09-385-022	3263 N Lakeshore Dr	A2	1.5	60	105
70-15-09-385-023	3253 N Lakeshore Dr	A2	1.5	60	105
70-15-09-385-024	3247 N Lakeshore Dr	A2	1.5	60	105
70-15-09-385-025	3241 N Lakeshore Dr	A2	1.5	60	105
70-15-09-385-026	3233 N Lakeshore Dr	A2	1.5	60	105
70-15-09-385-027	17335 Riley St	A2	1.5	60	105

HREA\* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

**Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact Great Lakes Shorelands staff, Water Resources Division, EGLE in Lansing or the local EGLE field office for assistance.**



# Parcels in High Risk Erosion Areas of Park Township, Ottawa County

Date of Designation: November 23,1994

Parcel Identification No.	Address	HREA*	Rate (feet/year)	30 yr PRD*	60 yr PRD*
70-15-16-150-001	17334 Riley St	A2	1.5	60	105
70-15-16-300-004	2757 N Lakeshore Dr	B1	1.6	65	110
70-15-16-300-005	2753 N Lakeshore Dr	B1	1.6	65	110
70-15-16-349-002	2743 N Lakeshore Dr	B1	1.6	65	110
70-15-16-349-021	2737 N Lakeshore Dr	B1	1.6	65	110
70-15-16-349-004	2729 N Lakeshore Dr	B1	1.6	65	110
70-15-16-349-005		B1	1.6	65	110
70-15-16-349-006	2713 N Lakeshore Dr	B1	1.6	65	110
70-15-16-349-007	2705 N Lakeshore Dr	B1	1.6	65	110
70-15-16-349-008	2697 N Lakeshore Dr	B1	1.6	65	110
70-15-16-349-023	2679 N Lakeshore Dr	B1	1.6	65	110
70-15-16-349-024	2673 N Lakeshore Dr	B1	1.6	65	110
70-15-16-349-012	2667 N Lakeshore Dr	B1	1.6	65	110
70-15-16-349-013	2659 N Lakeshore Dr	B1	1.6	65	110
70-15-16-349-014	2651 N Lakeshore Dr	B1	1.6	65	110
70-15-16-349-015	2643 N Lakeshore Dr	B1	1.6	65	110
70-15-16-349-016	2631 N Lakeshore Dr	B1	1.6	65	110
70-15-16-349-022	2625 N Lakeshore Dr	B1	1.6	65	110
70-15-16-349-018	2617 N Lakeshore Dr	B1	1.6	65	110
70-15-16-349-019	2609 N Lakeshore Dr	B1	1.6	65	110

HREA\* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

**Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact Great Lakes Shorelands staff, Water Resources Division, EGLE in Lansing or the local EGLE field office for assistance.**





# Parcels in High Risk Erosion Areas of Park Township, Ottawa County

Date of Designation: November 23,1994

Parcel Identification No.	Address	HREA*	Rate (feet/year)	30 yr PRD*	60 yr PRD*
70-15-16-349-020	2601 N Lakeshore Dr	B1	1.6	65	110
70-15-16-398-027	2591 N Lakeshore Dr	B1	1.6	65	110
70-15-16-398-028	2581 N Lakeshore Dr	B1	1.6	65	110
70-15-16-398-032	2567 N Lakeshore Dr	B1	1.6	65	110
70-15-16-398-029	2563 N Lakeshore Dr	B1	1.6	65	110
70-15-16-398-030	2555 N Lakeshore Dr	B1	1.6	65	110
70-15-16-398-031	2549 N Lakeshore Dr	B1	1.6	65	110
70-15-16-398-008	2541 Lakefront Dr	B1	1.6	65	110
70-15-16-398-009	2529 Lakefront Dr	B1	1.6	65	110
70-15-16-398-010	2521 Lakefront Dr	B1	1.6	65	110
70-15-16-398-011	2517 Lakefront Dr	B1	1.6	65	110
70-15-16-398-012	2505 Lakefront Dr	B1	1.6	65	110
70-15-16-398-013	2503 Lakefront Dr	B1	1.6	65	110
70-15-16-398-014	2497 Lakefront Dr	B1	1.6	65	110
70-15-16-398-015	2489 Lakefront Dr	B1	1.6	65	110
70-15-16-398-016	2481 Lakefront Dr	B1	1.6	65	110
70-15-16-398-017	2473 Lakefront Dr	B1	1.6	65	110
70-15-16-398-018	2459 Lakefront Dr	B1	1.6	65	110
70-15-16-398-019	2451 Lakefront Dr	B1	1.6	65	110
70-15-16-398-020	2443 Lakefront Dr	B1	1.6	65	110

HREA\* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

**Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact Great Lakes Shorelands staff, Water Resources Division, EGLE in Lansing or the local EGLE field office for assistance.**



# Parcels in High Risk Erosion Areas of Park Township, Ottawa County

Date of Designation: November 23,1994

Parcel Identification No.	Address	HREA*	Rate (feet/year)	30 yr PRD*	60 yr PRD*
70-15-16-398-021	2435 Lakefront Dr	B1	1.6	65	110
70-15-16-398-022	2427 Lakefront Dr	B1	1.6	65	110
70-15-16-398-023	2421 Lakefront Dr	B1	1.6	65	110
70-15-16-398-024	2413 Lakefront Dr	B1	1.6	65	110
70-15-16-398-025	2405 Lakefront Dr	B1	1.6	65	110
70-15-21-150-001	470 N Lakeshore Dr	B1	1.6	65	110
70-15-21-150-002	462 N Lakeshore Dr	B1	1.6	65	110
70-15-21-150-003	456 N Lakeshore Dr	B1	1.6	65	110
70-15-21-340-013	220 N Lakeshore Dr	C1	1.5	60	105
70-15-21-340-003	216 N Lakeshore Dr	C1	1.5	60	105
70-15-21-340-004	208 N Lakeshore Dr	C1	1.5	60	105
70-15-21-340-005	198 N Lakeshore Dr	C1	1.5	60	105
70-15-21-340-006	192 N Lakeshore Dr	C1	1.5	60	105
70-15-21-340-007	180 N Lakeshore Dr	C1	1.5	60	105
70-15-21-340-008	176 N Lakeshore Dr	C1	1.5	60	105
70-15-21-340-009	170 N Lakeshore Dr	C1	1.5	60	105
70-15-21-340-010	164 N Lakeshore Dr	C1	1.5	60	105
70-15-21-340-011	158 N Lakeshore Dr	C1	1.5	60	105
70-15-21-390-001	152 N Lakeshore Dr	C1	1.5	60	105
70-15-21-390-002	146 N Lakeshore Dr	C1	1.5	60	105

HREA\* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

**Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact Great Lakes Shorelands staff, Water Resources Division, EGLE in Lansing or the local EGLE field office for assistance.**



# Parcels in High Risk Erosion Areas of Park Township, Ottawa County

Date of Designation: November 23, 1994

Parcel Identification No.	Address	HREA*	Rate (feet/year)	30 yr PRD*	60 yr PRD*
70-15-21-390-003	132 N Lakeshore Dr	C1	1.5	60	105
70-15-21-390-004	126 N Lakeshore Dr	C1	1.5	60	105
70-15-21-390-005	120 N Lakeshore Dr	C1	1.5	60	105
70-15-21-390-006	114 N Lakeshore Dr	C1	1.5	60	105
70-15-21-390-007	106 N Lakeshore Dr	C1	1.5	60	105
70-15-21-390-008	100 N Lakeshore Dr	C1	1.5	60	105
70-15-21-390-009	94 N Lakeshore Dr	C1	1.5	60	105
70-15-21-390-010	86 N Lakeshore Dr	C1	1.5	60	105
70-15-21-390-011	76 N Lakeshore Dr	C1	1.5	60	105
70-15-21-300-001	50 N Lakeshore Dr (Tunnel Park)	C1	1.5	60	105
70-15-28-130-001	16 Lake St	C1	1.5	60	105
70-15-28-130-002	18 Lake St	C1	1.5	60	105
70-15-28-130-003	20 Lake St	C1	1.5	60	105
70-15-28-130-004	24 Lake St	C1	1.5	60	105
70-15-28-130-005	28 Lake St	C1	1.5	60	105
70-15-28-130-006	34 Lake St	C1	1.5	60	105
70-15-28-130-007	40 Lake St	C1	1.5	60	105
70-15-28-130-008		C1	1.5	60	105
70-15-28-135-001	48 Michigan Ave	C1	1.5	60	105

HREA\* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

**Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact Great Lakes Shorelands staff, Water Resources Division, EGLE in Lansing or the local EGLE field office for assistance.**



# Parcels in High Risk Erosion Areas of Park Township, Ottawa County

Date of Designation: November 23, 1994

Parcel Identification No.	Address	HREA*	Rate (feet/year)	30 yr PRD*	60 yr PRD*
70-15-28-135-002	54 Michigan Ave	C1	1.5	60	105
70-15-28-135-003	64 Michigan Ave	C1	1.5	60	105
70-15-28-135-004	68 Michigan Ave	C1	1.5	60	105
70-15-28-135-005	72 Michigan Ave	C1	1.5	60	105
70-15-28-135-006	74 Michigan Ave	C1	1.5	60	105
70-15-28-135-007	78 Michigan Ave	C1	1.5	60	105
70-15-28-135-008	82 Michigan Ave	C1	1.5	60	105
70-15-28-135-009	86 Michigan Ave	C1	1.5	60	105
70-15-28-135-010	90 Michigan Ave	C1	1.5	60	105
70-15-28-135-020	98 Michigan Ave	C1	1.5	60	105
70-15-28-135-018	104 Michigan Ave	C1	1.5	60	105
70-15-28-135-019	108 Michigan Ave	C1	1.5	60	105
70-15-28-135-014	112 Michigan Ave	C1	1.5	60	105
70-15-28-135-015	116 Michigan Ave	C1	1.5	60	105
70-15-28-135-016	118 Michigan Ave	C1	1.5	60	105
70-15-28-135-017	122 Michigan Ave	C1	1.5	60	105
70-15-28-180-011	133 Michigan Ave	C1	1.5	60	105
70-15-28-180-003	155 Michigan Ave	C1	1.5	60	105
70-15-28-180-004	123 Michigan Ave	C1	1.5	60	105
70-15-28-180-012	128 Heights Ave	C1	1.5	60	105

HREA\* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

**Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact Great Lakes Shorelands staff, Water Resources Division, EGLE in Lansing or the local EGLE field office for assistance.**



# Parcels in High Risk Erosion Areas of Park Township, Ottawa County

Date of Designation: November 23,1994

Parcel Identification No.	Address	HREA*	Rate (feet/year)	30 yr PRD*	60 yr PRD*
70-15-28-180-010		C1	1.5	60	105
70-15-28-181-016		C1	1.5	60	105
70-15-28-181-014	2361 Sunset Bluff Dr	C1	1.5	60	105
70-15-28-181-015	2363 Sunset Bluff Dr	C1	1.5	60	105
70-15-28-190-001	2490 Sunset Bluff Dr	C1	1.5	60	105
70-15-28-190-008	2480 Sunset Bluff Dr	C1	1.5	60	105
70-15-28-190-009	2474 Sunset Bluff Dr	C1	1.5	60	105
70-15-28-190-010	2460 Sunset Bluff Dr	C1	1.5	60	105
70-15-28-302-001		C2	2.0	75	135
70-15-28-303-001	260 Sunset Bluff Ct	C2	2.0	75	135
70-15-28-303-002	274 Sunset Bluff Ct	C2	2.0	75	135
70-15-28-303-003	280 Sunset Bluff Ct	C2	2.0	75	135
70-15-28-303-015	288 Sunset Bluff Ct	C2	2.0	75	135
70-15-28-340-029	430 Crest Dr	C2	2.0	75	135
70-15-28-340-030	418 Crest Dr	C2	2.0	75	135
70-15-28-340-003	414 Crest Dr	C2	2.0	75	135
70-15-28-340-004	406 Crest Dr	C2	2.0	75	135
70-15-28-340-005	402 Crest Dr	C2	2.0	75	135
70-15-28-340-006	2511 Oriole Ln	C2	2.0	75	135
70-15-28-340-007	2506 Oriole Ln	C2	2.0	75	135

HREA\* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

**Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact Great Lakes Shorelands staff, Water Resources Division, EGLE in Lansing or the local EGLE field office for assistance.**



# Parcels in High Risk Erosion Areas of Park Township, Ottawa County

Date of Designation: November 23,1994

Parcel Identification No.	Address	HREA*	Rate (feet/year)	30 yr PRD*	60 yr PRD*
70-15-28-340-008	2507 Eagle Ln	C2	2.0	75	135
70-15-28-340-010	2509 Eagle Ln	C2	2.0	75	135
70-15-28-340-011	2508 Eagle Ln	C3	1.1	50	80
70-15-28-380-001	2506 Eagle Ln	C3	1.1	50	80

HREA\* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

**Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact Great Lakes Shorelands staff, Water Resources Division, EGLE in Lansing or the local EGLE field office for assistance.**