


Maternal and Infant Health Statistics, Prosperity Region 5, Michigan

Prepared by Maternal and Child Health (MCH) Epidemiology Section,
Michigan Department of Health and Human Services (MDHHS)
Data source: Michigan resident live birth files (09/18/2020) and infant mortality files (02/18/2021),
Division for Vital Records and Health Statistics, MDHHS
March 2021

Infant Mortality Rate (IMR), Prosperity Region 5, 2010-2019

Infant Mortality Rate, Prosperity Region 5, 2010-2019

(rate per 1,000 live births)




2019 Michigan Rate = 6.4

Year	# Live Births	# Infant Death	IMR
2010	6,117	39	6.4
2011	6,139	43	7.0
2012	5,915	31	5.2
2013	5,883	40	6.8
2014	6,050	48	7.9
2015	5,952	38	6.4
2016	5,829	35	6.0
2017	5,885	32	5.4
2018	5,720	37	6.5
2019	5,653	31	5.5

Infant mortality is defined as a death of a baby before his or her first birthday and is expressed as a rate per 1,000 live births.

Infant Mortality Rates by Maternal Race/Ethnicity, Prosperity Region 5, 2015-2019 (rate per 1,000 live births)




Maternal Race/Ethnicity	# Live Births	# Infant Death	IMR
White non-Hispanic	21,941	105	4.8
Black non-Hispanic	3,263	44	13.5
Hispanic	2,139	19	8.9
American Indian	196	DNS	DNS
Asian/Pacific Islander	436	0	0.0

DNS: data not sufficient (0<N<6).

2015-2019 Michigan Rates
 White, nH = 4.9
 Black, nH = 13.4
 Hispanic = 6.3
 Asian/Pacific Islander = 4.2

Infant mortality is defined as a death of a baby before his or her first birthday and is expressed as a rate per 1,000 live births.

Infant Mortality Rates by Maternal Age, Prosperity Region 5, 2015-2019 (rate per 1,000 live births)




Maternal Age	# Live Births	# Infant Death	IMR
< 20 years	1,716	16	9.3
20-29 years	16,866	107	6.3
≥30 years	10,450	50	4.8

2015-2019 Michigan Rates
 < 20 years = 10.0
 20-29 years = 7.1
 ≥30 years = 5.6

Infant mortality is defined as a death of a baby before his or her first birthday and is expressed as a rate per 1,000 live births.

Infant Mortality Rates by Intended Payment Source, Prosperity Region 5, 2015-2019 (rate per 1,000 live births)




Payment Source	# Live Births	# Infant Death	IMR
Private Insurance	14,469	45	3.1
Medicaid	13,897	122	8.8

2015-2019 Michigan Rates
 Private Insurance = 4.8
 Medicaid = 8.8

Infant mortality is defined as a death of a baby before his or her first birthday and is expressed as a rate per 1,000 live births.

Low Birthweight (LBW), Prosperity Region 5, 2010-2019

Low Birthweight (Birthweight <2,500 Grams), Prosperity Region 5, 2010-2019




2019 Michigan Percent = 8.8

Year	# Live Births	# LBW	LBW %
2010	6,117	483	7.9
2011	6,139	512	8.3
2012	5,915	457	7.7
2013	5,883	451	7.7
2014	6,050	526	8.7
2015	5,952	489	8.2
2016	5,829	472	8.1
2017	5,885	488	8.3
2018	5,720	451	7.9
2019	5,653	461	8.2

Low birthweight rate is defined as number of births with baby birthweight <2,500 grams per 100 live births.

Low Birthweight (Birthweight <2,500 Grams) by Maternal Race/Ethnicity, Prosperity Region 5, 2015-2019



Maternal Race/Ethnicity	# Live Births	# LBW	LBW %
White non-Hispanic	21,941	1,543	7.0
Black non-Hispanic	3,263	454	13.9
Hispanic	2,139	180	8.4
American Indian	196	34	17.3
Asian/Pacific Islander	436	39	8.9

2015-2019 Michigan Percentages

White, nH = 7.0

Black, nH = 14.8


Hispanic = 7.5

American Indian = 8.8

Asian/Pacific Islander = 8.1

Low birthweight rate is defined as number of births with baby birthweight <2,500 grams per 100 live births.

Low Birthweight (Birthweight <2,500 Grams) by Maternal Age, Prosperity Region 5, 2015-2019




Maternal Age	# Live Births	# LBW	LBW %
< 20 years	1,716	166	9.7
20-29 years	16,866	1,359	8.1
≥30 years	10,450	833	8.0

2015-2019 Michigan Percentages
 < 20 years = 10.7
 20-29 years = 8.5
 ≥30 years = 8.5

Low birthweight rate is defined as number of births with baby birthweight <2,500 grams per 100 live births.

Low Birthweight (Birthweight <2,500 Grams) by Intended Payment Source, Prosperity Region 5, 2015-2019




Payment Source	# Live Births	# LBW	LBW %
Private Insurance	14,469	872	6.0
Medicaid	13,897	1,452	10.4

2015-2019 Michigan Percentages
 Private Insurance = 7.2
 Medicaid = 10.5

Low birthweight rate is defined as number of births with baby birthweight <2,500 grams per 100 live births.

Preterm Birth (PTB), Prosperity Region 5, 2010-2019

Preterm Birth (Estimated Gestational Age <37 Weeks), Prosperity Region 5, 2010-2019




2019 Michigan Percent = 10.3

Year	# Live Births	# PTB	PTB %
2010	6,117	531	8.7
2011	6,139	528	8.6
2012	5,915	482	8.1
2013	5,883	449	7.6
2014	6,050	541	8.9
2015	5,952	528	8.9
2016	5,829	476	8.2
2017	5,885	494	8.4
2018	5,720	506	8.8
2019	5,653	507	9.0

Preterm birth rate is defined as number of births delivered before 37 completed weeks of gestation per 100 live births. Gestational age is based on the obstetric estimate of gestation.

Preterm Birth (Estimated Gestational Age <37 Weeks) by Maternal Race/Ethnicity, Prosperity Region 5, 2015-2019



Maternal Race/Ethnicity	# Live Births	# PTB	PTB %
White non-Hispanic	21,941	1,780	8.1
Black non-Hispanic	3,263	360	11.0
Hispanic	2,139	183	8.6
American Indian	196	28	14.3
Asian/Pacific Islander	436	41	9.4

2015-2019 Michigan Percentages

White, nH = 9.0

Black, nH = 14.6


Hispanic = 9.4

American Indian = 8.2

Asian/Pacific Islander = 10.2

Preterm birth rate is defined as number of births delivered before 37 completed weeks of gestation per 100 live births. Gestational age is based on the obstetric estimate of gestation.

Preterm Birth (Estimated Gestational Age <37 Weeks) by Maternal Age, Prosperity Region 5, 2015-2019




Maternal Age	# Live Births	# PTB	PTB %
< 20 years	1,716	153	8.9
20-29 years	16,866	1,409	8.4
≥30 years	10,450	944	9.0

2015-2019 Michigan Percentages
 < 20 years = 10.6
 20-29 years = 9.6
 ≥30 years = 10.6

Preterm birth rate is defined as number of births delivered before 37 completed weeks of gestation per 100 live births. Gestational age is based on the obstetric estimate of gestation.

Preterm Birth (Estimated Gestational Age <37 Weeks) by Intended Payment Source, Prosperity Region 5, 2015-2019




Payment Source	# Live Births	# PTB	PTB %
Private Insurance	14,469	1,080	7.5
Medicaid	13,897	1,393	10.0

2015-2019 Michigan Percentages
 Private Insurance = 9.2
 Medicaid = 11.3

Preterm birth rate is defined as number of births delivered before 37 completed weeks of gestation per 100 live births. Gestational age is based on the obstetric estimate of gestation.


Smoking During Pregnancy, Prosperity Region 5, 2015-2019

Smoking During Pregnancy by Maternal Race/Ethnicity, Michigan and Prosperity Region 5, 2015-2019



Breastfeeding Initiation and Duration, Prosperity Region 5


Breastfeeding Initiation and Duration, Region 5 v Rest of Michigan MI PRAMS 2016-2018



- Breastfeeding in Region 5 is less prevalent than in the remainder of the state at all four time points
 - All $p < 0.05$

Late Entry into Prenatal Care, Prosperity Region 5, 2015-2019

Late Entry Into Prenatal Care by Maternal Race/Ethnicity, Michigan and Prosperity Region 5, 2015-2019




- Late entry into prenatal care refers to begin prenatal care in the 7th – 9th month of gestation


Barriers to Prenatal Care, Michigan, 2016-2019

PNC Barriers - mother started PNC AFTER 1st trimester and wanted to start sooner

MI PRAMS 2016-2019




**Selected PNC Barriers with Significant Differences by Maternal Race/Ethnicity
MI PRAMS 2016-2019**




* Relative Standard Error between 30-50%; interpret estimate with caution

**Number of PNC Barriers - women with late | no PNC
MI PRAMS 2016-2019**



Pregnancy Intention, Prosperity Region 5, 2016-2018


Intended Pregnancy; MI PRAMS 2016-2018



- Intended Pregnancy
- Derived from question about pregnancy timing
- Intended
 - Women who said they had wanted pregnancy for some time, or wanted to be pregnant right when they conceived
- Unintended
 - Women who wanted to be pregnant some time in the future, never again, or were unsure
- Although there is variation across the state, none of the differences are large enough to achieve statistical significance

Neonatal Abstinence Syndrome (NAS) Prosperity Region 5, 2010-2019

Neonatal Abstinence Syndrome*, Prosperity Region 5, 2010-2019 (Rate per 100,000 Live Births)




Year	# Live Births	# NAS	NAS Rate
2010	6,117	41	670.3
2011	6,139	56	912.2
2012	5,915	51	862.2
2013	5,883	56	951.9
2014	6,050	78	1289.3
2015	5,952	70	1176.1
2016	5,829	67	1149.4
2017	5,885	54	917.6
2018	5,720	79	1381.1
2019	5,653	56	990.6

2019 Michigan Rate = 623.7

* = only includes pharmacologically treated neonatal abstinence syndrome

Neonatal Abstinence Syndrome* by Maternal Race/Ethnicity, Prosperity Region 5, 2015-2019



Maternal Race/Ethnicity	# Live Births	# NAS	NAS Rate
White non-Hispanic	21,941	252	1148.5
Black non-Hispanic	3,263	17	521.0
Hispanic	2,139	43	2010.3
American Indian	196	9	4591.8

2015-2019 Michigan Rates
 White, nH = 943.1
 Black, nH = 394.2
 Hispanic = 573.8
 American Indian = 4,610.1

* = only includes pharmacologically treated neonatal abstinence syndrome

Birth Defects Prevalence, by Race/Ethnicity and Prosperity Region, 2017

Birth Defect Prevalence Rates by Race/ethnicity: MBDR, 2017

- Throughout birth years 2010-2017, the birth defect prevalence rate for Michigan remained fairly steady at an average rate of 1,374.2 cases per 10,000 live births.
- In 2017, the race-specific birth defect prevalence rate for cases born to black mothers (1,725.4 cases per 10,000 live births) exceeded that of cases born to white mothers (1,079.3 cases per 10,000 live births) and cases born to mothers of “other” races (1,654.5 cases per 10,000 live births).
- In 2017, the ethnicity-specific birth defect prevalence rate for cases born to a mother reporting Arabic ethnicity (1,742.2 cases per 10,000 live births) was greater than that of cases born to a mother reporting Hispanic ethnicity (1,087.8 cases per 10,000 live births).

* Total reported birth defect cases for all diagnostic groupings per 10,000 live births

**Maternal Race/ethnicity as reported on birth record

Figure 1. Statewide Maternal Race-Specific Birth Defect Prevalence Rates: MBDR, 2017






Figure 2. Statewide Maternal Ethnicity-Specific Birth Defect Prevalence Rates: MBDR, 2017



Birth Defect Prevalence Rates by Prosperity Region: MBDR, 2017

- The State of Michigan is broken up into 10 prosperity regions based on shared geographic, demographic, and economic interests.
- In 2017, Michigan prosperity regions 9 and 10 reported the highest birth defect prevalence rates of 1,619.9 and 1,872.5 cases per 10,000 live births.
- The prosperity region that reported the lowest birth defect prevalence was region 1 with a prevalence rate of 622.9 cases per 10,000 live births.



Region	Number of Cases	Prevalence Rate (per 10,000 live births)
1	166	622.9
2	233	810.4
3	154	849.9
4	1,930	995.5
5	443	752.8
6	959	1,072.9
7	539	1,050.7
8	844	940.9
9	1,644	1,619.9
10	8,556	1,872.5
Total	15,468	1,387.2

*All statewide data reported from the Michigan Birth Defects Registry (MBDR) for birth year 2017
 ** Total reported birth defect cases for all diagnostic groupings per 10,000 live births
 ***Prevalence rates are based on births to mothers living in Michigan at the time of delivery.
 ****Regions approximate prosperity region boundaries

Statewide Birth Defect Prevalence Rates by Prosperity Region with Prosperity Region Map: MBDR, 2017

Sleep-Related Infant Death Rate Prosperity Region 5, 2010-2018

Overview of Sleep-Related Infant Deaths in Michigan 2010-2018

- Between 2010 and 2018 there were **1,287** sleep-related infant deaths in Michigan.
- The rate of sleep-related infant deaths has fluctuated slightly but has not statistically significantly differed between years (Figure 1).
- Between 2010 and 2018 Black Infants were 3.5 times more likely to die of sleep-related causes as compared to white Infants. Infants of races Other than white and Black were 2.4 times more likely to die of sleep-related causes as compared to white infants (Figure 2).

Figure 1. Rate of Sleep-Related Infant Deaths
per 1,000 Live Births






Figure 2. Rate of Sleep-Related Infant Deaths
per 1,000 Live Births, by Race



Sleep-Related Infant Death Rate, Prosperity Region 5, 2010-2018

(rate per 1,000 live births)




- Between 2010 and 2018 there were **81** sleep-related infant deaths in Region Five.
- The Region Five sleep-related infant death rate of 1.5 per 1,000 live births was **higher** than the Michigan sleep-related death rate (Michigan rate: 1.3 per 1,000 live births), although the difference was not statistically significant.

^a Data for Regions 8 and 9 suppressed as to not inadvertently identify a suppressed county level statistics. County level data can be found at https://www.keepingkidsalive.org/wp-content/uploads/Sleep-Related-Infant-Deaths-in-Michigan_2010-to-2018.pdf

Severe Maternal Morbidity Rate Prosperity Region 5, 2019

Severe Maternal Morbidity, Prosperity Region 5, 2019 (rate per 10,000 delivery hospitalizations)




2019 Michigan Rates	
Overall:	194.3
White:	157.6
Black:	321.1
Asian:	192.1
Native American:	155.7
Hispanic:	205.7

* Statistics for other races are suppressed due to insufficient sample sizes.

Maternal Mortality Ratio Prosperity Region 5, 2013-2017

Maternal Mortality Ratio, Prosperity Region 5, 2013-2017

(ratio per 100,000 live births)



- Maternal deaths include deaths that occur during pregnancy, at delivery or within one year of pregnancy.
- Total maternal mortality includes both pregnancy associated mortality (unrelated to the pregnancy), pregnancy-related mortality (related to or aggravated by the pregnancy), and deaths where pregnancy-relatedness is unable to be determined.
- In Region Five there were **20** maternal deaths between 2013 and 2017